

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<US_ADDRESS_ZIP>

Example: 33125
 Value Required: No
 Nillable: No
 Format Rules: Alphanumeric, non-case sensitive, Limit 9 numeric characters.
 Business Rules: The value shall be the Zip Code for the person's address while in the US.

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<EMBARK_COUNTRY>

Example: UNITED STATES
 Value Required: **Yes, if NonCrew is entered then EMBARK_COUNTRY is required.**
 Nillable: No
 Format Rules: Text, 64 characters, upper case.
 Business Rules: The allowed values for each country are contained in the <Country_Name> element in Country_List.xml. **If left blank file will not be processed.**

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<EMBARK_COUNTRY_CODE>

Example: US
 Value Required: **Yes, if NonCrew is entered then EMBARK_COUNTRY_CODE is required.**
 Nillable: No
 Format Rules: Text, upper case.
 Business Rules: The allowed values for each EMBARK_COUNTRY_CODE are contained in the <ISO_Code> element corresponding to the selected EMBARK_COUNTRY in Country_List.xml. **If left blank file will not be processed.**

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<EMBARK_STATE>

Example: New York
 Value Required: No
 Nillable: No
 Format Rules: Text, non-case sensitive.
 Business Rules: The value shall be the official name of the state the embark port is located in if it is a US port. Otherwise, leave the value empty. The allowed values for each state are contained in the <State_Name> element in Port_State_List.xml.

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<EMBARK_PORT_NAME>

Example: USNYC
 Value Required: **Yes, if NonCrew is entered either EMBARK_PORT_NAME or EMBARK_PLACE is required.**
 Nillable: No
 Format Rules: Text, non-case sensitive.
 Business Rules: The value shall be the ISO Two (2) Letter Code and UNLocation_Code Three (3) Letter Code concatenated, of the EMBARK PORT. The allowed values for each EMBARK_PORT are contained in the <ISO_Code> element and <UNLocation_Code> element in the **International_SeaPort_List.xml** that corresponds to the ISO_Code for the selected EMBARK_COUNTRY. **If left blank file will not be processed.**

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<EMBARK_PORT_CODE>

Example: NYC
 Value Required: **Yes**,
 Nillable: No
 Format Rules: Text, non-case sensitive.
 Business Rules: The value shall be the PORT_CODE of the EMBARK_PORT. The allowed values for each EMBARK_PORT_CODE are contained in the <UNLocation_Code> element in the **International_SeaPort_List.xml** that corresponds to the Port_Name for the selected EMBARK_PORT_NAME. **If left blank file will not be processed.**

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<EMBARK_PLACE>

Example: New York Harbor
 Value Required: No
 Nillable: No
 Format Rules: The value may contain alphanumeric characters, as appropriate. Character limit is 150 characters.
 Business Rules: The value shall be the EMBARK_PLACE. This value will only need to be provided if an EMBARK_PORT_NAME cannot be found in the International_SeaPort_List.xml or Port_State_List.xml.

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<EMBARK_DATE>

Example: 2002-05-31
 Value Required: **Yes**
 Nillable: No
 Format Rules: Date formatted as YYYY-MM-DD
 Business Rules: The value shall be the date the person embarked on the vessel. The value shall be no less than 1755-01-01 and no greater than 9999-01-01. **If left blank file will not be processed.**

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<DEBARK_COUNTRY>

Example: UNITED STATES
 Value Required: **Yes**
 Nillable: No
 Format Rules: Text, 64 characters, upper case.
 Business Rules: The allowed values for each country are contained in the <Country_Name> element in **Country_List.xml**. **If left blank file will not be processed.**

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<DEBARK_COUNTRY_CODE>

Example: US
 Value Required: **Yes**
 Nillable: No
 Format Rules: Text, upper case.
 Business Rules: The allowed values for each DEBARK_COUNTRY_CODE are contained in the <ISO_Code> element corresponding to the selected DEBARK_COUNTRY in **Country_List.xml**. **If left blank file will not be processed.**

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<DEBARK_STATE>

Example: New York
 Value Required: No
 Nillable: Yes
 Format Rules: Text, non-case sensitive.
 Business Rules: The value shall be the official name of the state the debark port is located in if it is a US port. Otherwise, leave the value empty. The allowed values for each state are contained in the <State_Name> element in Port_State_List.xml.

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<DEBARK_PORT_NAME>

Example: USNYC
 Value Required: Yes
 Nillable: No
 Format Rules: Text, non-case sensitive.
 Business Rules: The value shall be the ISO Two (2) Letter Code and UNLocation_Code Three (3) Letter Code concatenated, of the DEBARK PORT. The allowed values for each DEBARK_PORT are contained in the <ISO_Code> element and<UNLocation_Code> element in the **International_SeaPort_List.xml** that corresponds to the ISO_Code for the selected DEBARK_COUNTRY. **If left blank file will not be processed.**

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<DEBARK_PORT_CODE>

Example: NYC
 Value Required: Yes
 Nillable: No
 Format Rules: Text, non-case sensitive.
 Business Rules: The value shall be the PORT_CODE of the DEBARK_PORT. The allowed values for each DEBARK_PORT_CODE are contained in the <UNLocation_Code> element in the **International_SeaPort_List.xml** that corresponds to the Port_Name for the selected DEBARK_PORT_NAME. **If left blank file will not be processed.**

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<DEBARK_PLACE>

Example: New York Harbor
 Value Required: No
 Nillable: No
 Format Rules: The value may contain alphanumeric characters, as appropriate. Character limit is 150 characters.
 Business Rules: The value shall be the DEBARK_PLACE. This value will only need to be provided if a DEBARK_PORT_NAME cannot be found in the International_SeaPort_List.xml or Port_State_List.xml.

<NOTICE>|<NONCREW_LIST>|<NONCREW>|<DEBARK_DATE>

Example: 2002-05-31
 Value Required: No
 Nillable: Yes
 Format Rules: Date formatted as YYYY-MM-DD
 Business Rules: The value shall be the date the person debarked the vessel. The value shall be no less than 1755-01-01 and no greater than 9999-01-01. **If left blank file will not be processed.**